

# luce zero

Luce zero is not just one machine,  
but *all the machines it can become.*



An innovative range of freestanding machines designed to anticipate the technological and aesthetic demands of tomorrow's market.

Luce zero combines 50+ years of manufacturing expertise with the culture of Italian coffee and the style of Milan.

# luce zero

espresso



luce zero.0

luce zero.1

luce zero.2

luce zero.premium

luce zero.touch

|                           |          |           |                |                |                |
|---------------------------|----------|-----------|----------------|----------------|----------------|
| variflex 45 or 36         | ✓        | ✓         | ✓              | ✓              | ✓              |
| varitherm                 | optional | optional  | ✓              | ✓              | ✓              |
| varigrind (if varitherm)  | -        | -         | optional       | optional       | optional       |
| boiler (if not varitherm) | 1        | 1         | 2              | 2              | 2              |
| no. coffee grinders       | 1        | 1         | 1 or 2         | 1 or 2         | 1 or 2         |
| cup turret                | 1        | 1         | 2              | 2              | 2              |
| lid dispenser (no. lids)  | -        | -         | optional (100) | ✓ (100)        | ✓ (100)        |
| tea brewer                | -        | -         | optional       | optional       | optional       |
| cup sensor                | optional | optional  | optional       | ✓              | ✓              |
| proximity sensor          | -        | -         | -              | -              | ✓              |
| standard configuration    | E7 R3    | E8 R4     | E7 R4 - EE7 R3 | E8 R5 - EE8 R4 | E8 R5 - EE8 R4 |
| cups/day                  | up to 80 | up to 100 | up to 150      | up to 200      | up to 200      |

|                           |    |    |    |     |          |
|---------------------------|----|----|----|-----|----------|
| selections - touch panel  | 16 | 24 | 24 | 24  | -        |
| selections - touch screen | -  | -  | -  | -   | up to 64 |
| monitor                   | -  | -  | -  | 15" | -        |
| sugar adjustment          | ✓  | ✓  | ✓  | ✓   | ✓        |
| stirrer dispenser         | ✓  | ✓  | ✓  | ✓   | ✓        |

|                          |           |           |           |           |           |
|--------------------------|-----------|-----------|-----------|-----------|-----------|
| height (mm)              | 1830      | 1830      | 1830      | 1830      | 1830      |
| depth (mm)               | 705       | 705       | 705       | 705       | 705       |
| width (mm)               | 640       | 640       | 640       | 640       | 640       |
| max. no. canisters       | 1 + 6     | 1 + 7     | 2 + 6     | 2 + 6     | 2 + 6     |
| max. no. mixing bowls    | 3         | 3         | 4         | 5         | 5         |
| electrical supply (V-Hz) | 230-50/60 | 230-50/60 | 230-50/60 | 230-50/60 | 230-50/60 |
| power with boiler (W)    | 1600      | 1600      | 3200      | 3200      | 3200      |
| power with varitherm (W) | 3000      | 3000      | 3000      | 3000      | 3000      |

# luce zero

instant



|                          |          |           |                |           |           |
|--------------------------|----------|-----------|----------------|-----------|-----------|
| boiler                   | 1        | 1         | 1              | 1         | 1         |
| cup turret               | 1        | 1         | 2              | 2         | 2         |
| lid dispenser (no. lids) | -        | -         | optional (100) | ✓ (100)   | ✓ (100)   |
| tea brewer               | -        | -         | optional       | optional  | optional  |
| cups sensor              | optional | optional  | optional       | ✓         | ✓         |
| proximity sensor         | -        | -         | -              | -         | ✓         |
| standard configuration   | I7 R4    | I8 R5     | I8 R5          | I8 R5     | I8 R5     |
| cups/day                 | up to 80 | up to 100 | up to 150      | up to 200 | up to 200 |

|                           |          |          |          |          |          |
|---------------------------|----------|----------|----------|----------|----------|
| selections - touch panel  | 16       | 24       | 24       | 24       | -        |
| selections - touch screen | -        | -        | -        | -        | up to 64 |
| monitor                   | -        | -        | -        | 15"      | -        |
| sugar adjustment          | ✓        | ✓        | ✓        | ✓        | ✓        |
| stirrer dispenser         | optional | optional | optional | optional | optional |

|                          |              |              |              |              |              |
|--------------------------|--------------|--------------|--------------|--------------|--------------|
| height (mm)              | 1830         | 1830         | 1830         | 1830         | 1830         |
| depth (mm)               | 705          | 705          | 705          | 705          | 705          |
| width (mm)               | 640          | 640          | 640          | 640          | 640          |
| max. no. canisters       | 7            | 8            | 8            | 8            | 8            |
| max. no. mixing bowls    | 4            | 5            | 5            | 5            | 5            |
| electrical supply (V-Hz) | 230v-50/60Hz | 230v-50/60Hz | 230v-50/60Hz | 230v-50/60Hz | 230v-50/60Hz |
| power (W)                | 1700W        | 1700W        | 1700W        | 1700W        | 1700W        |

last update 04/2018